

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6385604").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:56
S2	0	datawarehouse same pre\$1process\$2 near2 (module operation query) same relational adj database\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 19:04
S3	0	datawarehouse same (pre\$1process\$2 near2 (module operation query)) same relational adj database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:12
S4	0	datawarehouse and (pre\$1process\$2 near2 (module operation query)) same relational adj database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:12
S5	0	datawarehouse same (process\$2 near2 (module operation query)) same relational adj database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:13
S6	6	data adj warehouse same (process\$2 near2 (module operation query)) same relational adj database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:20
S7	225	data adj warehouse same (stepwise (operation process\$3)) same relational adj database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:21
S8	1	("20020016771").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 17:42
S9	4	data adj warehouse same ((ignore delete update replicate) near3 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:53
S10	1295	data adj warehouse same (process function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:06
S11	1	S10 and ((ignore delete and update and replicate and insert) with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:09

S12	435	S10 and ((error same process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:10
S13	14	S12 and (return near3 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:10
S14	424	data adj warehouse same (system with (timestamp date time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:32
S15	0	S14 and ((delete and update and insert and replace) near3 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:32
S16	16	S14 and ((delete update insert replace) near3 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:32
S17	12	("5675785" "5706495" "5794246" "5848405" "5870746" "5870761" "5884328" "6029163" "6289334").PN. OR ("6438538").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/09 13:34
S18	232	data adj warehouse same (RDBMS (relational adj database adj management adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:10
S19	148	S18 and ((ignore insert update replicate) and (time date timestamp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:55
S20	4	S19 and (return near3 error\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:55
S21	0	data adj warehouse same (RDBMS (relational adj database adj management adj system)) same (time timestamp date) same (error\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:11
S22	81	data adj warehouse same (RDBMS (relational adj database adj management adj system)) same (time timestamp date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:15

S23	6	S22 and ((update replicate insert ignore) same error\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:12
S24	0	data adj warehouse same (RDBMS (relational adj database adj management adj system)) same (update with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:22
S25	0	data adj warehouse same (RDBMS (relational adj database adj management adj system)) same (update near7 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:22
S26	6	data adj warehouse same (RDBMS (relational adj database adj management adj system)) and (update near7 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:37
S27	65	data adj warehouse same (RDBMS (relational adj database adj management adj system)) and (insert duplicate near7 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:01
S28	6	data adj warehouse same (RDBMS (relational adj database adj management adj system)) and (creat\$4 and delet\$4 same date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:08
S29	1	data adj warehouse same (RDBMS (relational adj database adj management adj system)) and (creat\$4 with date) and (delet\$4 with date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:09
S30	0	data adj warehouse same (RDBMS (relational adj database adj management adj system)) same (creat\$4 with date) and (delet\$4 with date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:09
S31	0	data adj warehouse same (RDBMS (relational adj database adj management adj system)) same (creat\$4 with date) same (delet\$4 with date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:09
S32	0	data adj warehouse same (RDBMS (relational adj database adj management adj system)) same (creat\$4 adj3 date) same (delet\$4 adj3 date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:10
S33	0	data adj warehouse same (RDBMS (relational adj database adj management adj system)) same (creat\$4 adj3 time) same (delet\$4 adj3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:10

S34	0	(RDBMS (relational adj database adj management adj system)) same (creat\$4 adj3 time) same (delet\$4 adj3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:10
S35	4525	table same log same (time date timestamp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:40
S36	34	S35 and ((create and delete) near4 (date time timestamp))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:44
S37	10	table same log same (time date timestamp) same (data adj warehouse)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:58
S38	32	(RDBMS or (relational adj database adj management adj system)) same (system adj2 (date time timestamp))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:47
S39	108	(RDBMS or (relational adj database adj management adj system)) same (system near4 (date time timestamp))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:48
S40	0	S39 and ((create\$2 and delet\$4) same (date time timestamp) same log)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:48
S41	14	(RDBMS or (relational adj database adj management adj system)) same (system near4 (date time timestamp)) same log	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:51
S42	36	(RDBMS or (relational adj database adj management adj system)) same ((date time timestamp)) same log	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:51
S43	164	(creat\$5 and delet\$5) near5 (date time) same ((data adj warehouse) RDBMS or data\$1base\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:57
S44	5	(creat\$5 and delet\$5) near5 (date time) same ((data adj warehouse) RDBMS or data\$1base\$1) same log	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:58
S45	0	datawarehouse same (RDBMS or (relational adj database\$1)) same log same (date time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 19:15
S46	4	data adj warehouse same (RDBMS or (relational adj database\$1)) same log same (date time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 19:18
S47	4	warehouse same (RDBMS or (relational adj data\$1base\$1)) same (log trigger) same (date time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 19:19
S48	0	warehouse same (RDBMS or (relational adj data\$1base\$1)) same (trigger) same (date time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 19:19

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	rdbms same log\$1scrapp\$3 same (timestamp time date)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:13
S2	0	(rdbms (relational adj data\$1base)) same log\$1scrapp\$3 same (timestamp time date)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:14
S3	29	(rdbms (relational adj data\$1base)) same log\$1s same (timestamp time date)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:20
S4	13749	(history log) same (data\$1warehouse warehouse database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:20
S5	12611	S4 and (primary near2 key\$1 log time date timestamp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:21
S6	36	S5 and (pre\$1process\$3 near6 record\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:22
S7	100	("4889220" "4899299" "5051891" "5107417" "5107419" "5123676" "5182705" "5230073" "5344132" "5361202" "5592595" "5602993" "5611066" "5659746").PN. OR ("5813009").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 16:27
S8	1599	(data near (warehouse\$3 or mart\$1 or min\$3)) and (transform\$6 or cleas\$3) same (date or date-time or timestamp\$1 or time\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 16:28
S9	208	(data near (warehouse\$3 or mart\$1 or min\$3)) and (transform\$6 or cleas\$3) same (date or date-time or timestamp\$1 or time\$1) same (log\$3 or audit\$1 or journal\$1 or trigger\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:30
S10	35	(data near (warehouse\$3 or mart\$1 or min\$3)) and (transform\$6 or cleas\$3) same (date or date-time or timestamp\$1 or time\$1) same (log\$3 or audit\$1 or journal\$1 or trigger\$1) and RDBMS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:30